

Artikel Ulasan/Review Articles

LncRNAs in CONDBITs Perspectives, From Genetics towards Theranostics (LncRNAs dalam Perspektif CONDBITs, Dari Genetik ke Theranostik)

DITO ANUROGO, ARLI ADITYA PARIKESIT & TARUNA IKRAR

ABSTRACT

LncRNAs (Long noncoding RNAs) are novel group of ncRNAs and has been discovered to be pervasively transcribed in the genome, characterized as endogenous cellular RNAs consist of more than 200 nucleotides. They are ordered in view of function, transcript length, relation with protein-coding genes and other functional DNA elements, and subcellular localization. Theranostics is a novel study in medicine that combines specific targeted biomolecules based upon molecular-based test. As novel finding in the field of molecular medicine, lncRNA is indispensable tools in theranostics based medicine that allows specific targeting of molecular pathway for diagnostics and therapeutics. LncRNAs may execute as signals, decoys, guides, and scaffolds in their natural capacities. LncRNA expression is controlled by transcriptional and epigenetic factors and processes. LncRNAs also relate detracting biological programs. Here we reviewed lncRNAs in disorders/diseases thoroughly based on CONDBITs perspectives, i.e.: cardiology, oncology, neurology and neuroscience, dermatology, the biology of molecular and bioinformatics, immunology, and technologies (related with “-omics”; transcriptomics and “nano”; nanotechnology). It was narrated the lncRNA biomarkers that abundant in cardiovascular, neurodegenerative, dermatology, and immunology perspective. However, as cancer is the most widely studied disease, more biomarkers are available for this particular case. There are abundant cancer-associated lncRNAs. The most frequent learned lncRNA molecules in cancer are HOTAIR, MALAT1, LincRNA-p21, H19, GAS5, ANRIL, MEG3, XIST, HULC. LncRNAs in cancer diagnosis and monitoring, e.g.: H19 and AA174084 (gastric), HULC (hepatocellular), PCA3 (prostate). Prognostic lncRNAs, e.g.: HOTAIR and NKILA (breast), MEG3 (meningioma), NBAT-1 (neuroblastoma), SCHLAP1 (prostate). LncRNAs predicting therapeutic responsiveness, e.g.: CCAT1 (colorectal), HOTAIR (ovarian). Thus, it is concluded that the CONDBIT perspective is useful to describe the encouraging outlook of this transcriptomics-based medicinal approach.

Keywords: LncRNAs; CONDBITs perspectives; disease hallmarks; bioinformatics; theranostics

ABSTRAK

LncRNAs (Long noncoding RNAs) ialah kumpulan ncRNA yang novel dan banyak ditranskripsikan daripada genom serta dicirikan sebagai RNA endogen yang mengandungi lebih daripada 200 nukleotida dalam sel. Spesies RNA tersebut adalah terkawal dari segi fungsi, panjang transkrip, hubungan dengan gen yang mengekodkan protein dan unsur DNA lain yang berfungsi serta lokasi dalam bahagian subsel. Theranostik pula merupakan bidang kajian yang novel dalam perubatan yang menggabungkan biomolekul sasaran khusus berdasarkan ujian molekul. Sebagai penemuan baru dalam bidang perubatan molekul, lncRNA merupakan molekul sasaran dalam bidang perubatan theranostik yang membolehkan penemuan tapak jalan molekul yang spesifik untuk tujuan diagnostik dan terapeutik. LncRNAs dapat bertindak sebagai molekul isyarat, umpan, pandu dan perancah secara semula jadi. Pengekspresan lncRNA adalah di bawah kawalan transkripsi dan faktor serta proses epigenetik. LncRNAs juga menghubungkan program biologi. Di sini, kami mengulas kefungsi lncRNAs dalam penyakit kegagalan secara terperinci dari perspektif CONDBITs iaitu kardiologi, onkologi, neurologi and neurosains, dermatologi, biologi molekul and bioinformasi, imunologi, dan teknologi (berkenaan dengan “-omik”; transkriptomik dan “nano”; nanoteknologi). Penanda biologi lncRNA dilaporkan banyak terdapat dalam perspektif kardiovaskular, neurodegeneratif, dermatologi, and imunologi. Kanser sebagai penyakit yang telah banyak dikaji, semakin banyak penanda biologi telah ditemukan untuk penyakit ini. Terdapat banyak lncRNAs yang berkait rapat dengan kanser. Antara yang kerap dikaji adalah HOTAIR, MALAT1, LincRNA-p21, H19, GAS5, ANRIL, MEG3, XIST, HULC. LncRNAs yang banyak digunakan untuk diagnosis dan pengawasan kanser adalah seperti H19 and AA174084 (gastrik), HULC (hepatoselular), PCA3 (prostat). LncRNAs prognostik pula termasuk HOTAIR and NKILA (payu dara), MEG3 (meningioma), NBAT-1 (neuroblastoma), SCHLAP1 (prostat). LncRNAs yang digunakan untuk menjangka tindak balas terhadap rawatan adalah seperti CCAT1 (colorectal), HOTAIR (ovarian). Oleh itu, perspektif CONDBIT adalah sangat berguna untuk memerihalkan pendekatan yang berdasarkan transkriptomik.

Kata kunci: LncRNAs; perspektif CONDBITs; penanda penyakit; bioinformasi; theranostik

INTRODUCTION

LNCRNA ANNOTATION

LncRNAs (Long noncoding RNAs) are novel group of ncRNAs and has been discovered to be pervasively transcribed in the genome, characterized as endogenous cellular RNAs consist of more than 200 nucleotides (Mattick & Rinn 2015; Amaral & Mattick 2008). They have several general basic attributes, such as elective splicing, polyadenylation, low abundance, deficiency of protein product, and low sequence identity. They constitute a very heterogeneous group of RNA molecules that permits them to cover an expansive range of molecular-cellular functions by actualizing different modes of activity. They are ordered in view of function, transcript length, relation with protein-coding genes and other functional DNA elements, and subcellular localization.

LncRNAs may execute as signals, decoys, guides, and scaffolds in their natural capacities (Iwakiri, Hamada & Asai 2016). LncRNAs assume an imperative part in controlling gene expression at diversified levels, including chromatin alteration, transcriptional and posttranscriptional regulation, through multiple pathways that involve interplay with RNA binding proteins, subduing a major promoter of their aim gene, or performing as a co-activator of transcription factors (Sun et al. 2015). LncRNA expression is controlled by transcriptional and epigenetic factors and processes. LncRNAs also relate detracting biological programs (growth and development, the formation of cell identity, distribution of stress responses). There are 32,183 human annotated lncRNAs based on LNCipedia 2.0. Another study distinguished 6,736 lncRNA genes in the human genome (Devaux et al. 2015). In this end, lncRNA could be found on every manifestation of maladies in human. Moreover, the importance of lncRNA studies should be stated on every discussion on the molecular mechanism of the diseases. LncRNA is an indispensable aspect of theranostics-based therapy and diagnostics because it is only targeting specific molecular mechanism in the cell, in particular the transcriptomics pathway.

CARDIOVASCULAR PERSPECTIVE

LncRNAs have risen as critical regulators of cardiovascular development. LncRNAs control the differentiation of pluripotent stem cells and cardiac precursors into functional adult cardiac cells in the early phase of life. Afterward, they regulate cellular senescence and many pathways required in cardiovascular disorders (Devaux et al. 2015).

LncRNAs KCNQ1OT1 (class antisense, species human, chromosome 11) has important roles in arrhythmia and cardiac development (Korostowski, Sedlak, and Engel 2012; Bokil et al. 2010). LncRNAs Ak011347, Bvht, Fendrr (class intergenic, species mouse) have also the important role in cardiac development (Klattenhoff et al. 2013; J. G. Zhu et al. 2014; Grote et al. 2013).

Additionally, lncRNAs have an imperative part of heart development. A novel lncRNA Braveheart (AK143260) required for specification of the cardiac lineage in vitro. Depletion of lncRNA (AK143260) causes loss of beating cardiomyocytes during embryonic stem cell differentiation and an inability to initiate a network of genes specifying key cardiac transcription factors and myofibril assembly components. This lncRNA is needed for interceding the transition from mesoderm to multipotent cardiac progenitors (Schonrock, Harvey & Mattick 2012).

Another class of lncRNAs, i.e. SRA transcripts, have a critical capacity as coactivators of nuclear receptor signaling, muscle differentiation, and components of gene insulator complexes. It is also connected with dilated cardiomyopathy (Friedrichs et al. 2009). One of lncRNA, namely ALC-1 antisense, from class NAT (natural antisense transcript) has a vital role in the regulation of ALC-1. It has a noteworthy association while induced in hypertrophic ventricles (Ritter et al. 1999). Inhibition of MALAT1 in vivo by oligonucleotides diminished vascularization, indicating MALAT1 as an intriguing target to control angiogenic processes (Michalik et al. 2014).

Myocardial infarction associated transcript (MIAT) was identified as lncRNA which before 2006 also known as GOMAFU, AK028326, RNCR2. It is a non-coding RNA that has a pathobiological role in the cardiovascular system. MIAT dysregulation has a critical impact on the pathogenesis of MI and atherosclerosis, as well as another microvascular dysfunction, via enigmatic pathways (Yan et al. 2015; Liao et al. 2016; Vausort, Wagner & Devaux 2014).

HEART FAILURE

Long non-coding RNAs (lncRNAs) also play an important role in heart failure (El Azzouzi, Doevendans & Sluijter 2016). Some lncRNAs have been observed to be changed in the developing or diseased heart, several single nucleotide polymorphisms (SNP) in lncRNAs have appeared to be emphatically correlated with cardiovascular disease. For instance, SNPs in myocardial infarction associated transcript (MIAT) and antisense non-coding RNA in the INK4 locus (ANRIL) will forecast the increased risk of cardiovascular disease (Carlock et al. 1985; Ishii et al. 2006). In addition, lncRNA H19 was fundamentally upregulated in fizzling murine hearts, indicating a role for hypoxia-regulated lncRNA expression in heart failure (Lee et al. 2011; Yang et al. 2014). LncRNA MT-LIPCAR (human species, chromosome M) can predict survival in patients with heart failure (Kumarswamy et al. 2014).

Actually, lncRNA levels not only responded more sensitively to LVAD (left ventricular assist device) support but their expression profile permitted to recognize left ventricular samples from patients with ischemic and nonischemic heart failure before and after LVAD support (Consortium et al. 2013; Samani et al. 2007).

There are some lncRNAs with potential biomarker applications. CDKN2BAS1 (ANRIL) can be utilized as a risk factor biomarker for coronary artery disease and myocardial infarction. MIAT can be used as a risk factor biomarker for myocardial infarction (Ishii et al. 2006).

ONCOLOGY PERSPECTIVE

There are abundant lncRNAs associated with cancer, such as APL or acute promyelocytic leukemia (NEAT1), bladder cancer (GHET1, Linc-UBC1, H19, MALAT1, MEG3, SNHG16, TUG1, UCA1), breast cancer (ANRIL, BC040587, BCAR4, BCYRN1, DSCAM-AS1, GAS5, H19, HOTAIR, HOTAIRM1, IRAIN, LincRNA-BC4, LincRNA-BC5, Loc554202, LSINCT5, MALAT1, MEG3, MIR31HG, PINC, PVT1, SRA1, XIST, ZNF1-AS1), cervical cancer (HOTAIR, GAS5), colorectal cancer (CASC2, CCAT1, CRNDE, GAS5, HULC, HOTAIR, KCNQ10T, lncRNA-422, LincRNA-p21, Lnc-LET, MALAT1, NR_015441, NR_033374, R05532, SNHG16), endometrial carcinoma (CASC2, HOTAIR, MALAT1), epithelial squamous cell carcinoma or ESCC (Taurine-upregulated gene 1 or TUG1, lincPOU3F3), gallbladder cancer (lncRNA-LET), gastric cancer (LINC00152, GAPLINC, PVT1, HOTAIR, FENRR, AC138128.1, BRAF-activated non-coding RNA or BANCR), glioma (HOTAIR, uc.283plus, lincPOU3F3), hepatocellular carcinoma (UFC1, MT1DP, lncRNA-LET), leukemia (ANRIL, DLEU1, DLEU2, MEG3, MIR155HG, TCL6, WT1-AS), melanoma (ANRIL, BANCR, C9orf14, SPRY4-IT1), multiple myeloma (MALAT1), non-Hodgkin lymphoma (BIC), NSCLC or non-small cell lung carcinoma (RP11385J1.2, TUBA4B, PVT1, HOTAIR, MALAT1, CARLo5), osteosarcoma (MALAT1, BC040587), ovarian cancer (HOST2), pancreatic cancer (BC008363, DAPK, HOTAIR, HULC, MALAT1, MAP3K14, PPP3CB, PVT1), prostate cancer (C20orf166AS1, CBR3-AS1, CTBP1-AS, ENSG00000261777, GAS5, H19, MALAT1, NEAT1, PCA3, PCAT1, PCGEM1, PRNCR1, PTENP1, RP11-267A15.1, ucRNAs, XIST), thyroid carcinoma/cancer (AK023948, BANCR, NAMA, PTCSC3) (Eis et al. 2005; Isin & Dalay 2015; R. Zhang et al. 2016).

There are a lot of new lncRNA transcripts dysregulated in ccRCC (clear cell renal cell carcinoma) that is benefit for novel diagnostic biomarkers. The expression of lncRNAs was successfully validated for upregulated or highly overexpressed in ccRCC (lnc-BMP2-2, lnc-CPN2-1, lnc-FZD1-2, lnc-ITPR2-3, lnc-SLC30A4-1, lnc-SPAM1-6), downregulated (lnc-ACACA-1, lnc-FOXG1-2, lnc-LCP2-2, lnc-RP3-368B9, lnc-TTC34-3), and unregulated (lnc-ERCC5-1, lnc-RP11-480I12.4.1-1) transcripts using qPCR. Another lncRNAs in ccRCC are MALAT1, SPRY4-IT1 (Gutschner & Diederichs 2012; Zhang et al. 2016; Blondeau et al. 2015).

Some lncRNAs are overexpressed or decreased in multiple human cancer. ANRIL (antisense non-coding RNA in the INK4 locus) is positively correlated with

poor prognosis and considered as a risk factor in various types of human cancers, such as breast cancer, esophageal squamous cell carcinoma, gastric cancer, hepatocellular carcinoma, lung cancer, and ovarian cancer (Hua et al. 2015). BANCR (BRAF-activated non-coding RNA) is abundant in some types of human cancer, i.e. colorectal cancer, papillary thyroid carcinoma, malignant melanoma (Li et al. 2015). HOTAIR (HOX antisense intergenic RNA) is a key regulator of chromatin dynamics and gene regulation (Bhan & Mandal 2015). It appears to be disrupted in some cancers and diseases. It was downregulated in ependymomas and aortic valve calcification. It was upregulated in various carcinomas i.e. ATRTs (atypical teratoid rhabdoid tumors) such as medulloblastomas, and juvenile pilocytic astrocytomas. Breast cancer, cervical tumors/cancers, colorectal carcinomas, endometrial tumors/carcinomas, esophageal squamous cell carcinoma (ESCC), gall bladder cancers, gastric cancers, gastrointestinal stromal tumors/cancers, gliomas, hepatocellular carcinoma, laryngeal squamous cell cancer, melanoma, nasopharyngeal carcinoma, nonfunctional pituitary adenoma, non-small cell lung cancer, prostate cancer, ovarian cancers, pancreatic tumors/cancers, renal carcinomas, sarcoma, small cell lung cancer, Ta/T1 bladder cancer, urothelial carcinoma, also upregulated in osteoarthritis and pre-eclampsia (Hua et al. 2015; Qiu et al. 2015; Bhan & Mandal 2015; Hajjari & Salavaty 2015; Huang et al. 2014; Li et al. 2015). Some of lncRNAs are elucidated in Table 1 below.

NEURODEGENERATIVE PERSPECTIVE

There are a lot of long ncRNAs involved in neurological disorders. They are ANRIL, BDNF-AS, ncRNA-a, Evf-2, HTTAS_v1, SCAANT1, 116HG, ATXN8OS, 17A, Gomafu, BACE1-AS, BC200, Antisense Uchl1, HAR1F, HAR1R, etc. ANRIL which do regulate transcription has INK4b/ARF/INK4a locus as a target and associated with neural system tumors. Long ncRNAs that regulating transcription are BDNF-AS, ncRNA-a, Evf-2, HTTAS_v1, SCAANT1, 116HG. Long ncRNAs that regulating mRNA processing are ATXN8OS, 17A, Gomafu. Long ncRNAs that regulating translation are BC200 and antisense Uchl1. BACE1-AS regulates mRNA stability and has an important role in pathophysiologic of Alzheimer's disease (AD). The other lncRNAs that involved in AD are 17A and BC200. ncRNA-a involved in Opitz-Kaveggia syndrome. Evf-2 that has Dlx5/6 as its target may have roles in many neurological disorders, such as autism, epilepsy, Rett-syndrome, schizophrenia, etc. SCAANT1 has Ataxin 7 as a target and involved in Spinocerebellar ataxia 7. ATXN8OS has MBLN1 as the target and involved in Spinocerebellar ataxia 8. 116HG upregulates many genes as the target and involved in Prader-Willi syndrome. Gomafu has DISC1 and ERBB4 as targets and involved in schizophrenia, mainly associated with behavioral abnormalities. Antisense

TABLE 1. Some cancer associated LncRNAs

No.	LncRNA	Type of Cancer	References
1.	ANRIL (antisense non-coding RNA in the INK4 locus) DD3/PCA3	basal cell carcinoma, bladder cancer, melanomas, neurofibromas	(Cunnington et al. 2010; Zhu et al. 2015; Stacey et al. 2009; Pasmant et al. 2011)
2.	DD3/PCA3	Prostate cancer	(Bussemakers et al. 1999; Durand et al. 2012; Ploussard et al. 2011)
3.	GAS5 (growth arrest-specific transcript 5)	Renal cell carcinoma (RCC)	(Qiao et al. 2013)
4.	H19	Kidney cancer	(Frevel et al. 1999)
5.	HIF-1alpha-AS1 and AS2	Kidney cancer	(Thrash-Bingham & Tartof 1999; Bertozzi et al. 2011)
6.	HOTAIR	Several cancer; i.e.: breast, colon, liver, and pancreas	(Gupta et al. 2010; Kogo et al. 2011; Geng et al. 2011; Kim et al. 2013)
7.	HULC (highly upregulated in liver cancer)	Hepatocellular carcinoma	(Panzitt et al. 2007)
8.	LncTCF7	Liver CSCs (Cancer Stem Cells)	(Wang et al. 2015)
9.	MALAT-1	Small cell lung cancer	(Gutschner et al. 2013)
10.	MEG3 (GTL1)	Renal cell carcinoma (RCC)	(Kawakami et al. 2006)

Uchl1 has UCHL1 as its target and involved in Parkinson's disease (PD). There are minimally eight known lncRNAs that were observed to change significantly in the brains of Huntington's disease (HD) patients: TUG1 and NEAT1 are upregulated, MEG3 and DGCR5 are downregulated, while HTTAS_v1 and BDNF-AS are transcriptionally regulated.

Another lncRNAs involved in Person with HD are HAR1F and HAR1R (Vučićević, Schrewe & Orom 2014; Pollard et al. 2006).

Herein the Table 2 some of specific long ncRNAs as hallmarks in many neurological problems and neurodegenerative diseases and disorders.

TABLE 2. Specific lncRNA in neurological problem

No.	Diseases / disorders	LncRNA	References
1.	Alzheimer's disease (AD)	beta-site amyloid precursor protein cleaving enzyme-1 antisense transcript (BACE1-AS)	(Luo & Chen 2016; Decourt & Sabbagh 2011; Evin & Hince 2013; Faghihi et al. 2008)
2.	Alzheimer's disease (AD)	51A	(Ciarlo et al. 2013; Ma et al. 2009)
3.	Alzheimer's disease (AD)	17A	(Wan, Su & Zhuo 2017; Massone et al. 2011)
4.	Alzheimer's disease (AD)	neuroblastoma differentiation marker 29 (NDM29)	(Massone et al. 2012)
5.	Alzheimer's disease (AD)	BC200 (brain cytoplasmic 200 RNA)	(Mus, Hof & Tiedge 2007)
6.	Alzheimer's disease (AD)	brain cytoplasmic (BC) RNA BCYRN1	(Mus, Hof & Tiedge 2007; Lukiw et al. 1992)
7.	Alzheimer's disease (AD)	NAT-Rad18	(Zlatanou et al. 2016; Parenti et al. 2007)
8.	Amyotrophic lateral sclerosis (ALS)	AS C9ORF72 (chromosome 9 ORF 72)	(Renton et al. 2011; Zu et al. 2013; Lagier-Tourenne et al. 2013)
9.	Autistic spectrum disorder (ASD)	MSNPIAS (moesin pseudogene 1, antisense)	(Wilkinson & Campbell 2013; Kerin et al. 2012)
10.	Glioblastoma (GBM)	There are 104 matched lncRNA-mRNA pairs for 91 differentially expressed lncRNAs In the GBM group, 654 lncRNAs were downregulated and 654 were upregulated	(Han et al. 2012)
11.	Huntington's disease (HD)	MEG3	(Zhao et al. 2010)
12.	Huntington's disease (HD)	TUG1	(Khalil et al. 2009)
13.	Huntington's disease (HD)	NEAT1 (Nuclear enriched abundant transcript)	(Johnson 2012)
14.	Parkinson's disease (PD)	PINK1-AS (phosphatase and tensin homologue- induced kinase 1)	(Scheele et al. 2007)
15.	Parkinson's disease (PD)	AS Uchl1	(Carrieri et al. 2015)
16.	Spinocerebellar Ataxia	ATXN8OS	(Chen et al. 2008)
17.	Spinocerebellar Ataxia	ATXN7L3B	(Munhoz et al. 2009)

DERMATOLOGY PERSPECTIVES

Long noncoding RNA has promising impacts and roles in dermatology problems, including melanoma, psoriasis, keratinization, and Cutaneous Squamous Cell Carcinoma (cSCC). Herein we decipher them concisely.

MELANOMA

The lncRNA SPRIGHTLY (also known as SPRY4-IT1) is upregulated in human melanoma cells. It lies within the intronic region of SPRY4 gene. SPRIGHTLY is transcribed from the first intron of SPRY4 (Sprouty 4 gene). In human melanoma cells, it is highly upregulated. In normal human melanocytes, it is ectopically expressed at low levels. It contributes to the regulation of DNA damage response, chromosome organization, cell proliferation, cell cycle, and apoptosis in melanocytes. It also regulates proliferation, motility, and apoptosis that constitute cancer hallmarks. Together with its target genes, SPRIGHTLY has an impact in melanocyte dedifferentiation and their transformation into melanomas. It has a lot of important roles in multiple regulatory pathways in melanomas. Its dysfunction in melanoma cells prohibits cell growth, differentiation, and induced apoptosis (Khaitan et al. 2011; Zhao et al. 2016; Mazar et al. 2010, 2014).

Long noncoding RNAs involved in the synthesis of melanin. LncRNA-H19 has an important role in the formation of melasma. Irradiation of melanocytes with 20 mJ/cm² UVB changed expression 807 lncRNAs more than two-fold using Agilent lncRNA chip expression profile detection technology. LncRNAs involve in the UVB-induced stress response. Some lncRNAs expression alterations triggered by UVB are dependent on ROS generation. ROS-mediated production of lnc-CD1D-2:1 participated in the UVB-induced melanogenesis. MAPK signaling pathway was engaged in the melanogenesis, therefore p38, ERK, and JNK phosphorylation levels were observed. The UVB-induced alterations in lncRNAs involve in the etiopathogenesis of melanoma. LncRNAUCA1 was engaged in H₂O₂-induced cell apoptosis, signifying relationship between ROS and lncRNAs (Kim, Lee & Lee 2010; Kim et al. 2014; Peng et al. 2014; Liu et al. 2015; Zeng et al. 2016).

Targeting a lncRNA in vivo is a potentially putative therapeutic choice, such as SAMMSON (previously known as LINC01212). SAMMSON lncRNA plays important roles in melanoma development. It is arranged by an alternative SOX factor such as SOX9, understood as a key antagonistic role to SOX10 in melanoma. It is detectable in melanocytes or non-invasive vertical growth phase melanomas, in invasive vertical growth phase melanoma, and in migratory melanoblasts (Shakhova et al. 2015; Goding 2016; Leucci et al. 2016; Hoek & Goding 2010).

SAMMSON confers a growth advantage on melanoma cells. Targeting SAMMSON for degradation reduced clonogenicity, irrespective of BRAF, NRAS, or p53 status, including in cell lines exhibiting BRAF inhibitor resistance, but did not affect melanocytes, highlighting the “addiction” of melanomas to SAMMSON expression. It also reduced viability/growth of invasive melanoma cells, known to exhibit increased resistance to MAPK therapeutics. Importantly, ectopic expression of SAMMSON in melanoma cells conferred a growth advantage, indicating that SAMMSON acts in trans, an observation consistent with the lack of effect on MITF expression following SAMMSON knockdown (Shakhova et al. 2015; Goding 2016; Leucci et al. 2016; Hoek & Goding 2010).

Deciphering SAMMSON lncRNA biogenesis, we can understand how the MITF amplicon impacts melanoma proliferation. MITF (microphthalmia-associated transcription factor) is a microenvironmental hallmark of melanoma. It is required for melanoblast survival while development, melanocyte differentiation, suppresses invasion, promotes proliferation, and drives “phenotype switching” which props melanoma development (Shakhova et al. 2015; Goding 2016; Leucci et al. 2016; Hoek & Goding 2010).

The SAMMSON lncRNA gene is co-amplified with MITF in melanoma. SAMMSON-p32 complex is needed for correct mitochondrial biogenesis. Depletion of SAMMSON leads to stress connected accumulation of mitochondrial peptide precursors, mitochondrial import defects, and p53-independent apoptosis. BRAF inhibitors (BRAFi) boost dependency on mitochondrial oxidative phosphorylation and collaborate with SAMMSON inhibition (Shakhova et al. 2015; Goding 2016; Leucci et al. 2016; Hoek & Goding 2010).

PSORIASIS

There are 971 lncRNAs were statistically significant expressed in psoriasis patients, which whom 399 were underexpressed whereas 572 were overexpressed. Some of them show decreased expression in psoriasis person, such as LOC285194, Car Intergenic 10, ST7OT. Of overexpressed 572 lncRNAs, CARD14 lncRNA was significantly overexpressed. Mutations in CARD14 genes are related to susceptibility to psoriasis (Gupta et al. 2016).

KERATINIZATION

Long ncRNAs was performed by transcriptome sequencing of keratinocytes. The keratinocytes sampled were derived from palmar and forearm skin. This research had been identified 125 candidate lncRNAs which is involved in keratinization (Nomura 2016).

CUTANEOUS SQUAMOUS CELL CARCINOMA

PICSAR is lncRNA that has an important role in Cutaneous Squamous Cell Carcinoma (cSCC) progression. LncRNA PICSAR is overexpressed in cSCC cells, both in vivo and in culture. It regulates both proliferation and migration of cSCC cells and growth of cSCCs cells in vivo. It increases the activity of ERK1/2 pathway through inhibition of MAPK phosphatase DUSP6. PICSAR is a putative biomarker and futuristic therapeutic target in cSCC management (Piipponen et al. 2016).

IMMUNOLOGY PERSPECTIVE

Long noncoding RNAs (lncRNAs) have been appeared to assume imperative parts in immune cells responses and developments via various mechanisms. They have been

observed to control transcriptional or post-transcriptional regulation of innate and adaptive immune responses through novel methods for blending with RNA and DNA or protein-protein interactions (Zhang & Cao 2016).

Some lncRNAs are involved in immune cell development processes, such as immune cell activation, differentiation, proliferation. They are NRON, lnc-DC, NTT, GAS5, HOTAIRM1, etc (Zhang & Cao 2016).

LncRNAs control the innate immune responses. Numerous lncRNAs that have been connected to innate immunity have been found by RNA-Seq studies and microarray, i.e.: Lethe, NEAT1, NKILA, PACER, and THRIL (Table 3), that represent the magnificent patterns of lncRNAs that are ensnared in regulating immune cells functions and immune genes expressions (Guttman et al. 2009; Carpenter & Fitzgerald 2015; Imamura & Akimitsu 2014; Li & Rana 2014).

TABLE 3. The roles of lncRNAs in innate immune responses

No.	lncRNA	References
1.	Lethe	(Zgheib et al. 2017; Rapicavoli et al. 2013)
2.	NEAT1	(Imamura et al. 2014; Hirose et al. 2014)
3.	NKILA (NF-KappaB interacting lncRNA)	(Huang et al. 2016)
4.	PACER (p50-associated COX-2 extragenic RNA)	(Krawczyk & Emerson 2014; Cui et al. 2014; Qian et al. 2016)
5.	THRIL (linc1992)	(Szmyrka-Kaczmarek et al. 2014; Li et al. 2014)

AUTOIMMUNE DISEASES AND LNCRNA

Autoimmune diseases are complicated and enigmatic diseases resulting from the interaction between genetics, epigenetics, and environmental factors (Wu et al. 2015). LncRNAs dysregulation regulate certain

mechanisms in autoimmune diseases, including PRINS (10p12.1) arranges GIP3 to maintain the keratinocyte hyperproliferation in psoriasis (Szegedi et al. 2012, 2010). Dysregulation of lncRNAs influences various autoimmune diseases. For further explanation, we elucidate in the Table 4 herein.

TABLE 4. Autoimmune diseases and lncRNA Narration

No.	Diseases	References
1.	Psoriasis Vulgaris (PV)	(Szegedi et al. 2012, 2010; Sonkoly et al. 2005; Bari et al. 2011; Chang et al. 2006; Holm et al. 2005)
2.	Systemic lupus erythematosus (SLE)	(Cope & Feldmann 2004; Chatenoud 2006; Shi et al. 2014; Giles, Nycz & Boackle 2016)
3.	Rheumatoid arthritis (RA)	(Song et al. 2014; Messemaker et al. 2016; Lu et al. 2016)

TECHNOLOGY PERSPECTIVES

The genome annotation technology is necessary to provide database management for transcriptomics data (Parikesit et al. 2014). In this respect, the gene prediction pipeline is important to annotate the missing information in the genomes (Goel, Singh & Aseri 2013). This pipeline is

especially crucial in annotating the transcriptomics data that still currently lacking information. Problem arises, as the generated data will be grown exponentially, in the scale of petabytes. Thus, the data mining method for big data storage is very feasible to be applied on daily basis in order to extract for definite transcriptomics pattern (Ranganathan et al. 2011). This hunt for information could only be

resolved with the complete mastery of bioinformatics science (Liew, Yan & Yang 2005). Herewith, as more sophisticated pattern recognition methods are in place, the jobs for extracting meaningful transcriptomics fingerprint will become more feasible (da Sacco, Baldassarre & Masotti 2012).

BIOINFORMATICS RESOURCES

Several websites-based bioinformatics resources are available to researchers for lncRNA research. They contain multiple repositories, databases, softwares, and other annotation tools. Bioinformatics databases that based on websites is revealed through this Table 5.

All databases that provide information about lncRNAs can identify human. Some of them include specific information towards rat (lncRNAdb, DIANA-lncBase, Functional lncRNA Database, Noncode v3.0, CHIPBase), also specific towards another model organisms (lncRNAdb, CHIPBase, Functional lncRNA Database, and DIANA-lncBase). Especially, lncRNAdb and Noncode v3.0 databases include lncRNAs that express in some species, from yeasts to plants. This databases offer information about specific characterization of lncRNAs cells or tissues: lncRNAdb, lncRNome, CHIPBase, Noncode v3.0, and DIANA-lncBase. Only Noncode v3.0 and lncRNAdb localize lncRNAs cellular (Fritah, Niclou & Azuaje 2014).

There are different bioinformatics tools for predicting the functions and structures of RNA sequences, including some tools that concatenate other experimental data in the analysis. Moreover, remembering that the recent

experimental exploratory methods are still restricted in their throughput and output, quick bioinformatics tools to recognize and characterize lncRNAs with reasonable preciseness are needed (Iwakiri, Hamada & Asai 2016).

Below we evince the available bioinformatics databases and tools which beneficial for discovering long non-coding RNAs and analyzing their secondary structures, conservation, interactions, co-expressions, and subcellular localization through Table 6.

SUMMARY

We have expounded multiperspectives of lncRNAs comprehensively based on CONDBITs perspectives, i.e.: cardiology, oncology, neurology and neuroscience, dermatology, the biology of molecular and bioinformatics, immunology, and technologies. The CONDBITs perspectives could be seen in the Table 7 below.

ACKNOWLEDGEMENT

The authors would like to thanks to the leaders of Research and CSR Institute (LPPM) of Indonesia International Institute for Life Sciences (i3L) and University of Muhammadiyah Makassar for their heartfelt support toward the completion of this manuscript. We also thank Prof. Dr. Sofia Mubarika for comments on earlier versions of this manuscript.

TABLE 5. The database for lncRNA research (Based on our exploration)

No.	Database	Website
1.	CHIPBase	deepbase.sysu.edu.cn/chipbase
2.	DIANA-lncBase	diana.imis.athena-innovation.gr
3.	lncRNAdb	www.Ncrna.org/frnadb
4.	Human Body Map lincRNAs	www.Broadinstitute.org/genome/bio/human/lincnas
5.	LNCipedia	www.lncipedia.org
6.	lncRNAdb	www.lncrnadb.org
7.	lncRNAdb Expert Database	http://rnacentral.org/expert-database/lncrnadb
8.	lncRNADisease	cmbi.bjmu.edu.cn/lncrnadisease
9.	lncRNADisease database	http://www.cuilab.cn/lncrnadisease
10.	lncRNome	genome.igib.res.in/lncRNome
11.	lncRNator	http://lncrnator.ewha.ac.kr/index.htm
12.	Noncode v3.0	noncode.org/NONCODERv3
13.	the Functional lncRNA Database	www.valadkhanlab.org
14.	UCSC	genome.ucsc.edu

TABLE 6. The explanation on bioinformatics database

No.	Bioinformatics Databases/Tools	References
1.	NGS (next-generation sequencing) technologies or tiling microarrays	(Iwakiri, Hamada & Asai 2016)
2.	LAST, Tophat, STAR	(Kim et al. 2013; Kielbasa et al. 2011; Dobin et al. 2013)
3.	BLASTX	(Gish & States 1993)
4.	PORTRAIT, CPC (Cording-Potential Calculator)	(Kong et al. 2007; Wang et al. 2013)
5.	RNAcode, PhyloCSF	(Washietl et al. 2011; Lin, Jungreis & Kellis 2011)
6.	QRNA, RNAz	(Rivas & Eddy 2001; Gruber et al. 2010)
7.	Expression Atlas	(Petryszak et al. 2014; Uhlén et al. 2015; Klijn et al. 2015)
8.	ROKU	(Kadota et al. 2006)
9.	ENCODE project	(Djebali et al. 2012)
10.	HITS-CLIP, PAR-CLIP, RAP-RNA, RIA-seq	(Licatalosi et al. 2008; Hafner et al. 2010; Engreitz et al. 2014; Kretz et al. 2013)
11.	IntaRNA	(Busch, Richter & Backofen 2008)
12.	CopraRNA	(Wright et al. 2013)
13.	A computational pipeline including multiple computational sequence analysis devices (IntaRNA, LAST, RactIP, Raccess, and TanTan)	(Frith, Hamada & Horton 2010; Kato et al. 2010; Kiryu et al. 2011; Frith 2011)
14.	RPI-Pred	(Suresh et al. 2015)
15.	catRAPID, RPI-seq, IncPRO	(Bellucci et al. 2011; Muppirala, Honavar & Dobbs 2011; Lu et al. 2013)
16.	Machine learning approaches, e.g.: support vector machine (SVM), Fisher's LDA (linear discriminant analysis), SVM (support vector machine), and RF (random forest)	(Pancaldi & Bähler 2011)
17.	Mfold, CentroidFold, RNAfold, and RNAstructure	(Sato et al. 2009; Hamada, Kiryu, et al. 2009; Zuker 2003; Lorenz et al. 2011; Mathews 2014b, 2014a)
18.	CentroidHomfold	(Hamada et al. 2011)
19.	DMS-seq, FragSeq, MAP-seq, Mod-seq, PARS, SHAPE-seq	(Rouskin et al. 2014; Ding et al. 2014; Underwood et al. 2010; Seetin et al. 2014; Talkish et al. 2014; Y. Wan et al. 2014; Loughrey et al. 2014)
20.	RNAalifold and Centroid Alifold	(Bernhart et al. 2008; Hamada, Sato & Asai 2011; Hamada 2015)
21.	ProbCons	(Do et al. 2005)
22.	CentroidAlign, LARA, LocARNA, MAFFT, MXSCARNA	(Hamada, Sato, et al. 2009; Bauer, Klau & Reinert 2007; Will et al. 2012; Katoh & Toh 2008; Tabei et al. 2008)
23.	PETcofold	(Seemann et al. 2011)
24.	Raccess	(Kiryu et al. 2011)
25.	Rchange	(Kiryu & Asai 2012)
26.	MEMERIS and RNAcontext	(Hiller et al. 2006; Kazan et al. 2010)
27.	PLEK (predictor of long non-coding RNAs and messenger RNAs based on an improved k-mer scheme)	(Zhang & Zhou 2014)

TABLE 7. The CONDBITS perspectives of lncRNAs

Abbreviation	Narration
C	: KCNQ1OT1 has important roles in arrhythmia and cardiac development. MIAT dysregulation has a critical impact on the pathogenesis of myocardial infarction (MI) and atherosclerosis. MT-LIPCAR can predict survival in patients with heart failure. CDKN2B-AS1 (ANRIL) can be used as a risk factor biomarker for coronary artery disease and MI.
O	: There are abundant lncRNAs associated with cancer, i.e.: breast cancer (ANRIL, BC040587, BCAR4, BCYRN1, DSCAM-AS1, GAS5, H19, HOTAIR, HOTAIRM1, IRAIN, LincRNA-BC4, LincRNA-BC5, Loc554202, LSINCT5, MALAT1, MEG3, MIR31HG, PINC, PVT1, SRA1, XIST, ZNFX1-AS1), cervical cancer (HOTAIR, GAS5), prostate cancer (C20orf166-AS1, CBR3-AS1, CTBP1-AS, ENSG00000261777, GAS5, H19, MALAT1, NEAT1, PCA3, PCAT1, PCGEM1, PRNCR1, PTENP1, RP11-267A15.1, ucRNAs, XIST). ANRIL correlated with poor prognosis and considered as a risk factor in various types of human cancers, such as breast cancer, esophageal squamous cell carcinoma, gastric cancer, hepatocellular carcinoma, lung cancer, ovarian cancer.
N	: BACE1-AS concentrations were increased in patients with Alzheimer's disease.
D	: SAMMSON lncRNA plays important roles in melanoma development. Some of lncRNAs show decreased expression in psoriasis person, such as LOC285194, Car Intergenic 10, ST7OT. Of overexpressed 572 lncRNAs, CARD14 lncRNA was significantly overexpressed.
B	: NONCODE 2016 (www.noncode.org) contains 527,336 lncRNA transcripts from literature and public databases. NGS technologies or tiling microarrays to observe the fragments of the transcribed units of the lncRNA sequences.
I	: NEAT1 has response to TLRs stimulus. Useful for formation of nuclear body paraspeckles. PRINS is overexpressed in PV. Several lncRNAs, i.e.: anti-NOS2A, Hotair, MEG9, LUST, TUG1, NEAT1 and SNHG4 were upregulated, whereas PRINS, PR antisense transcripts, mascRNA, and HOXA3as were downregulated in rheumatoid arthritis.
T	: Synergy-omics based technologies in lncRNAs researches in the future potentially make them as powerful biomarker and theranostics on certain diseases and disorders.

REFERENCES

- Amaral, Paulo P. & John S. Mattick. 2008. "Noncoding RNA in Development." *Mammalian Genome* 19(7): 454-492.
- Azzouzi, Hamid El, Pieter Adrianus Doevendans & Joost Petrus Gerardus Sluijter. 2016. "Long Non-Coding RNAs in Heart Failure: An Obvious Lnc." *Annals of Translational Medicine* 4(9): 182-186.
- Bari, Lilla, Sarolta Bacsa, Eniko Sonkoly, Zsuzsanna Bata-Csörgő, Lajos Kemény, Attila Dobozy & Márta Széll. 2011. "Comparison of Stress-Induced PRINS Gene Expression in Normal Human Keratinocytes and HaCaT Cells." *Archives of Dermatological Research* 303(10): 745-752.
- Bauer, Markus, Gunnar W. Klau & Knut Reinert. 2007. "Accurate Multiple Sequence-Structure Alignment of RNA Sequences Using Combinatorial Optimization." *BMC Bioinformatics* 8(271).
- Bellucci, Matteo, Federico Agostini, Marianela Masin & Gian Gaetano Tartaglia. 2011. "Predicting Protein Associations with Long Noncoding RNAs." *Nature Methods* 8: 444-445.
- Bernhart, Stephan H, Ivo L Hofacker, Sebastian Will, Andreas R Gruber & Peter F Stadler. 2008. "RNAalifold: Improved Consensus Structure Prediction for RNA Alignments." *BMC Bioinformatics* 9: 474.
- Bertozi, Davide, Raffaella Iurlaro, Olivier Sordet, Jessica Marinello, Nadia Zaffaroni, and Giovanni Capranico. 2011. "Characterization of Novel Antisense HIF-1 α Transcripts in Human Cancers." *Cell Cycle*. 10(18): 3189-3197.
- Bhan, Arunoday, and Subhrangsu S. Mandal. 2015. "lncRNA HOTAIR: A Master Regulator of Chromatin Dynamics and Cancer." *Biochimica et Biophysica Acta – Reviews on Cancer* 1856(1): 151-164.
- Blondeau, Jasmine Jc, Mario Deng, Isabella Syring, Sarah Schrödter, Doris Schmidt, Sven Perner, Stefan C. Müller, and Jörg Ellinger. 2015. "Identification of Novel Long Non-Coding Rnas in Clear Cell Renal Cell Carcinoma." *Clinical Epigenetics* 7: 10.
- Bokil, Nilesh J., John M. Baisden, Dorothy J. Radford & Kim M. Summers. 2010. "Molecular Genetics of Long QT Syndrome." *Molecular Genetics and Metabolism* 101(1): 1-8.
- Busch, Anke, Andreas S. Richter & Rolf Backofen. 2008. "IntaRNA: Efficient Prediction of Bacterial SRNA Targets Incorporating Target Site Accessibility and Seed Regions." *Bioinformatics* 24(24): 2849-2856.
- Bussemakers, Marion J. G., Adrie Van Bokhoven, Gerald W. Verhaegh, Frank P. Smit, Herbert F M Karthaus, Jack A. Schalken, Frans M. J. Debruyne, Ning Ru & William B. Isaacs. 1999. "DD3: A New Prostate-Specific Gene, Highly Overexpressed in Prostate Cancer." *Cancer Research*. 59(23): 5975-5979.
- Carlock, L R, D Skarecky, S L Dana & J J Wasmuth. 1985. "Deletion Mapping of Human Chromosome 5 Using Chromosome-Specific DNA Probes." *American Journal of Human Genetics* 37(5): 839-52.
- Carpenter, Susan & Katherine A Fitzgerald. 2015. "Transcription of Inflammatory Genes: Long Noncoding RNA and Beyond." *Journal of Interferon & Cytokine Research : The Official Journal of the International Society for Interferon and Cytokine Research* 35(2): 79-88.

- Carrieri, Claudia, Alistair R. R. Forrest, Claudio Santoro, Francesca Persichetti, Piero Carninci, Silvia Zucchelli & Stefano Gustincich. 2015. "Expression Analysis of the Long Non-Coding RNA Antisense to Uchl1 (AS Uchl1) during Dopaminergic Cells' Differentiation in Vitro and in Neurochemical Models of Parkinson's Disease." *Frontiers in Cellular Neuroscience* 9: 114.
- Chang, Y. T., C. T. Chou, Y. M. Shiao, M. W. Lin, C. W. Yu, C. C. Chen, C. H. & Huang, et al. 2006. "Psoriasis Vulgaris in Chinese Individuals Is Associated with PSORS1C3 and CDSN Genes." *British Journal of Dermatology* 155(4): 663-669.
- Chatenoud, Lucienne. 2006. "Immune Therapies of Autoimmune Diseases: Are We Approaching a Real Cure?" *Current Opinion in Immunology* 18(6): 710-717.
- Chen, Wei Lun, Jun Wei Lin, Hei Jen Huang, Su Min Wang, Ming Tsan Su, Guey Jen Lee-Chen, Chiung Mei Chen & Hsiu Mei Hsieh-Li. 2008. "SCA8 MRNA Expression Suggests an Antisense Regulation of KLHL1 and Correlates to SCA8 Pathology." *Brain Research* 1233: 176-184.
- Ciarlo, E., Massone, S., Penna, I., Nizzari, M., Gigoni, A., Dieci, G., Russo, C., Florio, T., Cancedda, R. & Pagano, A. 2013. "An Intronic ncRNA-Dependent Regulation of SORL1 Expression Affecting A β Formation Is Upregulated in Post-Mortem Alzheimer's Disease Brain Samples." *Disease Models & Mechanisms* 6(2): 424-433.
- Consortium, C ARDioGRAMplusC4D, P Deloukas, S Kanoni, C Willenborg, M Farrall, T L, Assimes, J. R. & Thompson, et al. 2013. "Large-Scale Association Analysis Identifies New Risk Loci for Coronary Artery Disease." *Nat Genet.* 45(1): 25-33.
- Cope, Andrew P. & Marc Feldmann. 2004. "Emerging Approaches for the Therapy of Autoimmune and Chronic Inflammatory Disease." *Current Opinion in Immunology* 16(6): 780-86.
- Cui, Huachun, Na Xie, Zheng Tan, Sami Banerjee, Victor John Thannickal, Edward Abraham & Gang Liu. 2014. "The Human Long Noncoding RNA Lnc-IL7R Regulates the Inflammatory Response." *European Journal of Immunology* 44(7): 2085-2095.
- Cunnington, Michael S., Mauro Santibanez Koref, Bongani M. Mayosi, John Burn, and Bernard Keavney. 2010. "Chromosome 9p21 SNPs Associated with Multiple Disease Phenotypes Correlate with ANRIL Expression." *PLoS Genetics* 6(4): e1000899.
- Decourt, Boris & Marwan N. Sabbagh. 2011. "BACE1 as a Potential Biomarker for Alzheimer's Disease." *Journal of Alzheimer's Disease*. 24 (Suppl 2): 53-59.
- Devaux, Yvan, Jennifer Zangrando, Blanche Schroen, Esther E. Creemers, Thierry Pedrazzini, Ching Pin Chang, Gerald W. Dorn, Thomas Thum & Stephane Heymans. 2015. "Long Noncoding RNAs in Cardiac Development and Ageing." *Nature Reviews Cardiology* 12(7): 415-425.
- Ding, Yiliang, Yin Tang, Chun Kit Kwok, Yu Zhang, Philip C. Bevilacqua & Sarah M. Assmann. 2014. "In Vivo Genome-Wide Profiling of RNA Secondary Structure Reveals Novel Regulatory Features." *Nature* 505: 696-700.
- Djebali, S, C A Davis, A Merkel, A Dobin, T Lassmann, A Mortazavi, A Tanzer, et al. 2012. "Landscape of Transcription in Human Cells." *Nature* 489(7414): 101-108.
- Do, Chuong B., Mahathi S.P. Mahabhashyam, Michael Brudno, & Serafim Batzoglou. 2005. "ProbCons: Probabilistic Consistency-Based Multiple Sequence Alignment." *Genome Research* 15(2): 330-340.
- Dobin, Alexander, Carrie A. Davis, Felix Schlesinger, Jorg Drenkow, Chris Zaleski, Sonali Jha, Philippe Batut, Mark Chaisson & Thomas R. Gingeras. 2013. "STAR: Ultrafast Universal RNA-Seq Aligner." *Bioinformatics* 29(1): 15-21.
- Durand, Xavier, Evangelos Xylinas, Camelia Radulescu, Rachel Haus-Cheymol, Stephane Moutereau, Gillaume Ploussard & Aurelien Forgues, et al. 2012. "The Value of Urinary Prostate Cancer Gene 3 (PCA3) Scores in Predicting Pathological Features at Radical Prostatectomy." *BJU International*. 110(1): 43-49.
- Eis, P S, W Tam, L Sun, A Chadburn, Z Li, M F Gomez, E Lund & J E Dahlberg. 2005. "Accumulation of MiR-155 and BIC RNA in Human B Cell Lymphomas." *Proc Natl Acad Sci U S A*. 102(10): 3627-3632.
- Engreitz, Jesse M., Klara Sirokman, Patrick McDonel, Alexander A. Shishkin, Christine Surka, Pamela Russell, Sharon R. Grossman, Amy Y. Chow, Mitchell Guttman & Eric S. Lander. 2014. "RNA-RNA Interactions Enable Specific Targeting of Noncoding RNAs to Nascent Pre-MRNAs and Chromatin Sites." *Cell*. 159(1): 188-199.
- Evin, Genevieve & Christopher Hince. 2013. "BACE1 as a Therapeutic Target in Alzheimer's Disease: Rationale and Current Status." *Drugs and Aging* 30(10): 755-764.
- Faghihi, Mohammad Ali, Farzaneh Modarresi, Ahmad M. Khalil, Douglas E. Wood, Barbara G. Sahagan, Todd E. Morgan, Caleb E. Finch, Georges St. Laurent, Paul J. Kenny & Claes Wahlestedt. 2008. "Expression of a Noncoding RNA Is Elevated in Alzheimer's Disease and Drives Rapid Feed-Forward Regulation of β -Secretase." *Nature Medicine* 14(7): 723-730.
- Frevel, Mathias A E, Stephen J. Sowerby, George B. Petersen & Anthony E. Reeve. 1999. "Methylation Sequencing Analysis Refines the Region of H19 Epimutation in Wilms Tumor." *Journal of Biological Chemistry* 274(41): 29331-29340.
- Friedrichs, Frauke, Christian Zugck, Gerd Jörg Rauch, Boris Ivandic, Dieter Weichenhan, Margit Müller-Bardorff & Benjamin Meder, et al. 2009. "HBEGF, SRA1, and IK: Three Cosegregating Genes as Determinants of Cardiomyopathy." *Genome Research* 19(3): 395-403.
- Fritah, Sabrina, Simone P Niclou & Francisco Azuaje. 2014. "Databases for LncRNAs: A Comparative Evaluation of Emerging Tools." *RNA (New York, N.Y.)* 20(11): 1655-1665.
- Frith, Martin C. 2011. "A New Repeat-Masking Method Enables Specific Detection of Homologous Sequences." *Nucleic Acids Research* 39(4): e23.
- Frith, Martin C., Michiaki Hamada & Paul Horton. 2010. "Parameters for Accurate Genome Alignment." *BMC Bioinformatics* 11: 80-93.
- Geng, Y. J., S. L. Xie, Q. Li, J. Ma & G. Y. Wang. 2011. "Large Intervening Non-Coding RNA HOTAIR Is Associated with Hepatocellular Carcinoma Progression." *Journal of International Medical Research* 39(6): 2119-2128.
- Giles, Brendan M, Bryan T Nycz & Susan A Boackle. 2016. "GG-12 Altered Expression of Long Noncoding RNA Is Associated with a Lupus-Associated Variant in Complement Receptor 2." *Lupus Science & Medicine* 3 (Suppl 1): A33-A33.
- Gish, W & D J States. 1993. "Identification of Protein Coding Regions by Database Similarity Search." *Nat Genet* 3(3): 266-272.

- Goding, Colin R. 2016. "Targeting the LncRNA SAMMSON Reveals Metabolic Vulnerability in Melanoma." *Cancer Cell* 29 (5): 619-21.
- Goel, Neelam, Shailendra Singh & Trilok Chand Aseri. 2013. "A Comparative Analysis of Soft Computing Techniques for Gene Prediction." *Analytical Biochemistry* 438(1): 14-21.
- Grote, Phillip, Lars Wittler, David Hendrix, Frederic Koch, Sandra Währisch, Arica Beisaw & Karol Macura, et al. 2013. "The Tissue-Specific LncRNA Fendrr Is an Essential Regulator of Heart and Body Wall Development in the Mouse." *Developmental Cell* 24(2): 206-14.
- Gruber, Andreas R., Sven Findeiß, Stefan Washietl, Ivo L. Hofacker & Peter F. Stadler. 2010. "RNAZ 2.0: Improved Noncoding RNA Detection." *Pacific Symposium on Biocomputing 2010, PSB 2010*. 2010: 69-79.
- Gupta, Rajnish A., Nilay Shah, Kevin C. Wang, Jeewon Kim, Hugo M. Horlings, David J. Wong & Miao Chih Tsai, et al. 2010. "Long Non-Coding RNA HOTAIR Reprograms Chromatin State to Promote Cancer Metastasis." *Nature* 464(7291): 1071-1076.
- Gupta, Rashmi, Richard Ahn, Kevin Lai, Elizabeth Mullins, Maya Debbaneh, Michelle Dimon, Sarah Arron & Wilson Liao. 2016. "Landscape of Long Noncoding RNAs in Psoriatic and Healthy Skin." *Journal of Investigative Dermatology*. 136(3): 603-609.
- Gutschner, Tony & Sven Diederichs. 2012. "The Hallmarks of Cancer: A Long Non-Coding RNA Point of View." *RNA Biology* 9(6): 703-19.
- Gutschner, Tony, Monika Hämmerle, Moritz Eißmann, Jeff Hsu, Youngsoo Kim, Gene Hung & Alexey Revenko, et al. 2013. "The Noncoding RNA MALAT1 Is a Critical Regulator of the Metastasis Phenotype of Lung Cancer Cells." *Cancer Research* 73(3): 1180-1189.
- Guttman, Mitchell, Ido Amit, Manuel Garber, Courtney French, Michael F. Lin, David Feldser & Maite Huarte, et al. 2009. "Chromatin Signature Reveals over a Thousand Highly Conserved Large Non-Coding RNAs in Mammals." *Nature* 458: 223-227.
- Hafner, Markus, Markus Landthaler, Lukas Burger, Mohsen Khorshid, Jean Haussler, Philipp Berninger & Andrea Rothballer, et al. 2010. "Transcriptome-Wide Identification of RNA-Binding Protein and MicroRNA Target Sites by PAR-CLIP." *Cell*. 141(1): 129-141.
- Hajjari, Mohammadreza & Abbas Salavaty. 2015. "HOTAIR: An Oncogenic Long Non-Coding RNA in Different Cancers." *Cancer Biology & Medicine* 12(1): 1-9.
- Hamada, Michiaki. 2015. "RNA Secondary Structure Prediction from Multi-Aligned Sequences." *Methods in Molecular Biology (Clifton, N.J.)* 1269: 17-38.
- Hamada, Michiaki, Hisanori Kiryu, Kengo Sato, Toutai Mituyama & Kiyoshi Asai. 2009. "Prediction of RNA Secondary Structure Using Generalized Centroid Estimators." *Bioinformatics (Oxford, England)*. 25(4): 465-473.
- Hamada, Michiaki, Kengo Sato & Kiyoshi Asai. 2011. "Improving the Accuracy of Predicting Secondary Structure for Aligned RNA Sequences." *Nucleic Acids Research*. 39(2): 393-402.
- Hamada, Michiaki, Kengo Sato, Hisanori Kiryu, Toutai Mituyama & Kiyoshi Asai. 2009. "CentroidAlign: Fast and Accurate Aligner for Structured RNAs by Maximizing Expected Sum-of-Pairs Score." *Bioinformatics* 25(24): 3236-3243.
- Hamada, Michiaki, Koichiro Yamada, Kengo Sato, Martin C. Frith & Kiyoshi Asai. 2011. "CentroidHomfold-LAST: Accurate Prediction of RNA Secondary Structure Using Automatically Collected Homologous Sequences." *Nucleic Acids Research*. 39(Suppl. 2): 100-106.
- Han, Lei, Kailiang Zhang, Zhendong Shi, Junxia Zhang, Jialin Zhu, Shanjun Zhu & Anling Zhang, et al. 2012. "LncRNA Profile of Glioblastoma Reveals the Potential Role of LncRNAs in Contributing to Glioblastoma Pathogenesis." *International Journal of Oncology* 40(6): 2004-2012.
- Hiller, Michael, Rainer Pudimat, Anke Busch & Rolf Backofen. 2006. "Using RNA Secondary Structures to Guide Sequence Motif Finding towards Single-Stranded Regions." *Nucleic Acids Research* 34(17): e117.
- Hirose, T., G. Virnicchi, A. Tanigawa, T. Naganuma, R. Li, H. Kimura & T. Yokoi, et al. 2014. "NEAT1 Long Noncoding RNA Regulates Transcription via Protein Sequestration within Subnuclear Bodies." *Molecular Biology of the Cell* 25(1): 169-183.
- Hoek, Keith S & Colin R Goding. 2010. "Cancer Stem Cells versus Phenotype-Switching in Melanoma." *Pigment Cell & Melanoma Research* 23(6): 746-59.
- Holm, Sofia J., Fabio Sánchez, Lina M. Carlén, Lotus Mallbris, Mona Ståhle & Kevin P. O'Brien. 2005. "HLA-Cw*0602 Associates More Strongly to Psoriasis in the Swedish Population than Variants of the Novel 6p21.3 Gene PSORS1C3." *Acta Dermato-Venereologica* 85(1): 2-8.
- Hua, Long, Chen-Yu Wang, Kun-Hou Yao, Jiang-Tao Chen, Jun-Jie Zhang & Wan-Li Ma. 2015. "High Expression of Long Non-Coding RNA ANRIL Is Associated with Poor Prognosis in Hepatocellular Carcinoma." *International Journal of Clinical and Experimental Pathology* 8(3): 3076-3082.
- Huang, Long, Ling-Min Liao, An-Wen Liu, Jian-Bing Wu, Xiao-Ling Cheng, Jia-Xin Lin & Min Zheng. 2014. "Overexpression of Long Noncoding RNA HOTAIR Predicts a Poor Prognosis in Patients with Cervical Cancer." *Archives of Gynecology and Obstetrics* 290(4): 717-723.
- Huang, Wei, Xiuying Cui, Jianing Chen, Yuhuan Feng, Erwei Song, Jinsong Li & Yujie Liu. 2016. "Long Non-Coding RNA NKILA Inhibits Migration and Invasion of Tongue Squamous Cell Carcinoma Cells via Suppressing Epithelial-Mesenchymal Transition." *Oncotarget* 7(38): 62520-62532.
- Imamura, Katsutoshi & Nobuyoshi Akimitsu. 2014. "Long Non-Coding RNAs Involved in Immune Responses." *Frontiers in Immunology*. 5: 573-576.
- Imamura, Katsutoshi, Naoto Imamachi, Gen Akizuki, Michiko Kumakura, Atsushi Kawaguchi, Kyosuke Nagata & Akihisa Kato, et al. 2014. "Long Noncoding RNA NEAT1-Dependent SFPQ Relocation from Promoter Region to Paraspeckle Mediates IL8 Expression upon Immune Stimuli." *Molecular Cell* 53(3): 393-406.
- Ishii, Nobuaki, Kouichi Ozaki, Hiroshi Sato, Hiroya Mizuno, Susumu Saito, Atsushi Takahashi & Yoshinari Miyamoto, et al. 2006. "Identification of a Novel Non-Coding RNA, MIAT, That Confers Risk of Myocardial Infarction." *Journal of Human Genetics* 51(12): 1087-1099.
- Isin, Mustafa & Nejat Dalay. 2015. "LncRNAs and Neoplasia." *Clinica Chimica Acta* 440: 280-288.
- Iwakiri, Junichi, Michiaki Hamada & Kiyoshi Asai. 2016. "Bioinformatics Tools for LncRNA Research." *Biochimica et Biophysica Acta* 1859(1): 23-30.

- Johnson, Rory. 2012. "Long Non-Coding RNAs in Huntington's Disease Neurodegeneration." *Neurobiology of Disease* 46(2): 245-54.
- Kadota, Koji, Jiazhen Ye, Yuji Nakai, Tohru Terada & Kentaro Shimizu. 2006. "ROKU: A Novel Method for Identification of Tissue-Specific Genes." *BMC Bioinformatics* 7: 294-302.
- Kato, Yuki, Kengo Sato, Michiaki Hamada, Yoshihide Watanabe, Kiyoshi Asai & Tatsuya Akutsu. 2010. "RactIP: Fast and Accurate Prediction of RNA-RNA Interaction Using Integer Programming." *Bioinformatics (Oxford, England)* 26(18): 460-466.
- Katoh, Kazutaka & Hiroyuki Toh. 2008. "Improved Accuracy of Multiple ncRNA Alignment by Incorporating Structural Information into a MAFFT-Based Framework." *BMC Bioinformatics* 9: 212-224.
- Kawakami, Takahiro, Tokuhiko Chano, Kahori Minami, Hidetoshi Okabe, Yusaku Okada & Keisei Okamoto. 2006. "Imprinted DLK1 Is a Putative Tumor Suppressor Gene and Inactivated by Epimutation at the Region Upstream of GTL2 in Human Renal Cell Carcinoma." *Human Molecular Genetics* 15(6): 821-30.
- Kazan, Hilal, Debashish Ray, Esther T. Chan, Timothy R. Hughes & Quaid Morris. 2010. "RNAcontext: A New Method for Learning the Sequence and Structure Binding Preferences of RNA-Binding Proteins." *PLoS Computational Biology* 6(7): e1000832.
- Kerin, Tara, Anita Ramanathan, Kasey Rivas, Nicole Grepo, Gerhard A. Coetzee & Daniel B. Campbell. 2012. "A Noncoding RNA Antisense to Moesin at 5p14.1 in Autism." *Science Translational Medicine* 4(128): 128ra40.
- Khaitan, Divya, Marcel E. Dinger, Joseph Mazar, Joanna Crawford, Martin A. Smith, John S. Mattick & Ranjan J. Perera. 2011. "The Melanoma-Upregulated Long Noncoding RNA SPRY4-IT1 Modulates Apoptosis and Invasion." *Cancer Research* 71(11): 3852-3862.
- Khalil, Ahmad M., Mitchell Guttman, Maite Huarte, Manuel Garber, Arjun Raj, Dianali Rivea Morales & Kelly Thomas, et al. 2009. "Many Human Large Intergenic Noncoding RNAs Associate with Chromatin-Modifying Complexes and Affect Gene Expression." *Proceedings of the National Academy of Sciences* 106(28): 11667-11672.
- Kielbasa, Szymon M., Raymond Wan, Kengo Sato, Paul Horton & Martin C. Frith. 2011. "Adaptive Seeds Tame Genomic Sequence Comparison." *Genome Research* 21(3): 487-493.
- Kim, Daehwan, Geo Pertea, Cole Trapnell, Harold Pimentel, Ryan Kelley & Steven L. Salzberg. 2013. "TopHat2: Accurate Alignment of Transcriptomes in the Presence of Insertions, Deletions and Gene Fusions." *Genome Biology* 14: R36.
- Kim, K., I. Jutooru, G. Chadalapaka, G. Johnson, J. Frank, R. Burghardt, S. Kim & S. Safe. 2013. "HOTAIR Is a Negative Prognostic Factor and Exhibits Pro-Oncogenic Activity in Pancreatic Cancer." *Oncogene*.
- Kim, Nan Hyung, Soo Hyun Choi, Chang Hyun Kim, Chang Hoon Lee, Tae Ryong Lee & Ai Young Lee. 2014. "Reduced MiR-675 in Exosome in H19 RNA-Related Melanogenesis via MITF as a Direct Target." *Journal of Investigative Dermatology*.
- Kim, Nan Hyung, Chang Hoon Lee & Ai Young Lee. 2010. "H19 RNA Downregulation Stimulated Melanogenesis in Melasma." *Pigment Cell and Melanoma Research*.
- Kiryu, Hisanori & Kiyoshi Asai. 2012. "Rchange: Algorithms for Computing Energy Changes of RNA Secondary Structures in Response to Base Mutations." *Bioinformatics*.
- Kiryu, Hisanori, Goro Terai, Osamu Imamura, Hiroyuki Yoneyama, Kenji Suzuki & Kiyoshi Asai. 2011. "A Detailed Investigation of Accessibilities around Target Sites of Sirnas and Mirnas." *Bioinformatics*.
- Klattenhoff, Carla A., Johanna C. Scheuermann, Lauren E. Surface, Robert K. Bradley, Paul A. Fields, Matthew L. Steinhauser & Huiming Ding, et al. 2013. "Braveheart, a Long Noncoding RNA Required for Cardiovascular Lineage Commitment." *Cell*.
- Klijn, Christiaan, Steffen Durinck, Eric W. Stawiski, Peter M. Haverty, Zhaoshi Jiang, Hanbin Liu & Jeremiah Degenhardt, et al. 2015. "A Comprehensive Transcriptional Portrait of Human Cancer Cell Lines." *Nature Biotechnology*.
- Kogo, Ryunosuke, Teppei Shimamura, Koshi Mimori, Kohichi Kawahara, Seiya Imoto, Tomoya Sudo & Fumiaki Tanaka, et al. 2011. "Long Noncoding RNA HOTAIR Regulates Polycomb-Dependent Chromatin Modification and Is Associated with Poor Prognosis in Colorectal Cancers." *Cancer Research*.
- Kong, Lei, Yong Zhang, Zhi Qiang Ye, Xiao Qiao Liu, Shu Qi Zhao, Liping Wei & Ge Gao. 2007. "CPC: Assess the Protein-Coding Potential of Transcripts Using Sequence Features and Support Vector Machine." *Nucleic Acids Research*.
- Korostowski, Lisa, Natalie Sedlak & Nora Engel. 2012. "The Kcnq1ot1 Long Non-Coding RNA Affects Chromatin Conformation and Expression of Kcnq1, but Does Not Regulate Its Imprinting in the Developing Heart." *PLoS Genetics*.
- Krawczyk, Michal & Beverly M. Emerson. 2014. "P50-Associated COX-2 Extragenic RNA (Pacer) Activates Human COX-2 Gene Expression by Occluding Repressive NF-KB P50 Complexes." *ELife*.
- Kretz, Markus, Zurab Siphraşvili, Ci Chu, Dan E. Webster, Ashley Zehnder, Kun Qu, Carolyn S. & Lee, et al. 2013. "Control of Somatic Tissue Differentiation by the Long Non-Coding RNA TINCR." *Nature*.
- Kumarswamy, Regalla, Christophe Bauters, Ingo Volkmann, Fleur Maury, Jasmin Fetisch, Angelika Holzmann, Gilles Lemesle, Pascal De Groote, Florence Pinet & Thomas Thum. 2014. "Circulating Long Noncoding RNA, LIPCAR, Predicts Survival in Patients with Heart Failure." *Circulation Research*.
- Lagier-Tourenne, C., M. Baughn, F. Rigo, S. Sun, P. Liu, H.-R. Li, J. & Jiang, et al. 2013. "Targeted Degradation of Sense and Antisense C9orf72 RNA Foci as Therapy for ALS and Frontotemporal Degeneration." *Proceedings of the National Academy of Sciences*.
- Lee, Jae Hyung, Chen Gao, Guangdun Peng, Christopher Greer, Shuxun Ren, Yibin Wang & Xinshu Xiao. 2011. "Analysis of Transcriptome Complexity through RNA Sequencing in Normal and Failing Murine Hearts." *Circulation Research*.
- Leucci, Eleonora, Roberto Vendramin, Marco Spinazzi, Patrick Laurette, Mark Fiers, Jasper Wouters, Enrico Radaelli, et al. 2016. "Melanoma Addiction to the Long Non-Coding RNA SAMMSON." *Nature* 531(7595): 518-22.
- Li, Aimin, Junying Zhang & Zhongyin Zhou. 2014. "PLEK: A Tool for Predicting Long Non-Coding RNAs and Messenger

- RNAs Based on an Improved k-Mer Scheme.” *BMC Bioinformatics*.
- Li, Ling, Lei Zhang, Yan Zhang & Fang Zhou. 2015. “Increased Expression of LncRNA BANCR Is Associated with Clinical Progression and Poor Prognosis in Gastric Cancer.” *Biomedicine & Pharmacotherapy*.
- Li, Z., T.-C. Chao, K.-Y. Chang, N. Lin, V. S. Patil, C. Shimizu, S. R. Head, Burns J. C. & Rana T. M. 2014. “The Long Noncoding RNA THRIL Regulates TNF Expression through Its Interaction with HnRNPL.” *Proceedings of the National Academy of Sciences*.
- Li, Zhonghan & Tariq M. Rana. 2014. “Decoding the Noncoding: Prospective of LncRNA-Mediated Innate Immune Regulation.” *RNA Biology*.
- Liao, Jiangquan, Qingyong He, Min Li, Yinfeng Chen, Yongmei Liu & Jie Wang. 2016. “LncRNA MIAT: Myocardial Infarction Associated and More.” *Gene*.
- Licatalosi, Donny D., Aldo Mele, John J. Fak, Jernej Ule, Melis Kayikci, Sung Wook Chi, Tyson A. & Clark, et al. 2008. “HITS-CLIP Yields Genome-Wide Insights into Brain Alternative RNA Processing.” *Nature*.
- Liew, Alan Wee-Chung, Hong Yan & Mengsu Yang. 2005. “Pattern Recognition Techniques for the Emerging Field of Bioinformatics: A Review.” *Pattern Recognition* 38(11): 2055-73.
- Lin, Michael F., Irwin Jungreis & Manolis Kellis. 2011. “PhyloCSF: A Comparative Genomics Method to Distinguish Protein Coding and Non-Coding Regions.” *Bioinformatics*. 27(13): 275-282.
- Liu, Youbin, Daliang Zhou, Guangnan Li, Xing Ming, Ying Feng Tu, Jinwei Tian, Huimin Lu & Bo Yu. 2015. “Long Non Coding RNA-UCA1 Contributes to Cardiomyocyte Apoptosis by Suppression of P27 Expression.” *Cellular Physiology and Biochemistry* 35(5): 1986-1998.
- Lorenz, Ronny, Stephan H Bernhart, Christian Höner zu Siederdisen, Hakim Tafer, Christoph Flamm, Peter F Stadler & Ivo L Hofacker. 2011. “ViennaRNA Package 2.0.” *Algorithms for Molecular Biology* 6(1): 26.
- Loughrey, David, Kyle E. Watters, Alexander H. Settle & Julius B. Lucks. 2014. “SHAPE-Seq 2.0: Systematic Optimization and Extension of High-Throughput Chemical Probing of RNA Secondary Structure with next Generation Sequencing.” *Nucleic Acids Research*. 42(21): e165.
- Lu, Ming-Chi, Hui-Chun Yu, Chia-Li Yu, Hsien-Bin Huang, Malcolm Koo, Chien-Hsueh Tung, and Ning-Sheng Lai. 2016. “Increased Expression of Long Noncoding RNAs LOC100652951 and LOC100506036 in T Cells from Patients with Rheumatoid Arthritis Facilitates the Inflammatory Responses.” *Immunologic Research* 64(2): 576-83.
- Lu, Qiongshi, Sijin Ren, Ming Lu, Yong Zhang, Dahai Zhu, Xuegong Zhang & Tingting Li. 2013. “Computational Prediction of Associations between Long Non-Coding RNAs and Proteins.” *BMC Genomics* 14: 651-660.
- Lukiw, W. J., P. Handley, L. Wong & D. R. Crapper McLachlan. 1992. “BC200 RNA in Normal Human Neocortex, Non-Alzheimer Dementia (NAD), and Senile Dementia of the Alzheimer Type (AD).” *Neurochemical Research* 17(6): 591-597.
- Luo, Qiong & Yinghui Chen. 2016. “Long Noncoding RNAs and Alzheimer’s Disease.” *Clinical Interventions in Aging* 3(3): 131-143.
- Ma, Qiu-Lan, Douglas R Galasko, John M Ringman, Harry V Vinters, Steven D Edland, Justine Pomakian & Oliver J Ubeda et al. 2009. “Reduction of SorLA/LR11, a Sorting Protein Limiting Beta-Amyloid Production, in Alzheimer Disease Cerebrospinal Fluid.” *Archives of Neurology* 66(4): 448-57.
- Massone, Sara, Eleonora Ciarlo, Serena Vella, Mario Nizzari, Tullio Florio, Claudio Russo, Ranieri Cancedda & Aldo Pagano. 2012. “NDM29, a RNA Polymerase III-Dependent Non Coding RNA, Promotes Amyloidogenic Processing of APP and Amyloid β Secretion.” *Biochimica et Biophysica Acta – Molecular Cell Research* 1823(7): 1170-1177.
- Massone, Sara, Irene Vassallo, Gloria Fiorino, Manuele Castelnuovo, Federica Barbieri, Roberta Borghi & Massimo Tabaton et al. 2011. “17A, a Novel Non-Coding RNA, Regulates GABA B Alternative Splicing and Signaling in Response to Inflammatory Stimuli and in Alzheimer Disease.” *Neurobiology of Disease* 41(2): 308-317.
- Mathews, David H. 2014a. “Using the RNAstructure Software Package to Predict Conserved RNA Structures.” *Current Protocols in Bioinformatics* 46: 12.4.1-12.4.22.
- Mathews, David H. 2014b. “RNA Secondary Structure Analysis Using RNAstructure.” *Current Protocols in Bioinformatics / Editorial Board, Andreas D. Baxevanis ... [et al.]*.
- Mattick, John S & John L Rinn. 2015. “Discovery and Annotation of Long Noncoding RNAs.” *Nature Structural & Molecular Biology* 22(1): 5-7.
- Mazar, Joseph, Satyabrata Sinha, Marcel E. Dinger, John S. Mattick & Ranjan J. Perera. 2010. “Protein-Coding and Non-Coding Gene Expression Analysis in Differentiating Human Keratinocytes Using a Three-Dimensional Epidermal Equivalent.” *Molecular Genetics and Genomics* 284(1): 1-9.
- Mazar, Joseph, Wei Zhao, Ahmad M Khalil, Bongyong Lee, John Shelley, Subramaniam S Govindarajan & Fumiko Yamamoto et al. 2014. “The Functional Characterization of Long Noncoding RNA SPRY4-IT1 in Human Melanoma Cells.” *Oncotarget* 5(19): 8959-8969.
- Messemaker, T. C., M. Frank-Bertoncelj, R. B. Marques, A. Adriaans, A. M. Bakker, N. Daha & S. Gay, et al. 2016. “A Novel Long Non-Coding RNA in the Rheumatoid Arthritis Risk Locus TRAF1-C5 Influences C5 mRNA Levels.” *Genes and Immunity* 17(2): 85-92.
- Michalik, Katharina M., Xintian You, Yosif Manavski, Anuradha Doddaballapur, Martin Zörnig, Thomas Braun & David John et al. 2014. “Long Noncoding RNA MALAT1 Regulates Endothelial Cell Function and Vessel Growth.” *Circulation Research* 114(9): 1389-1397.
- Munhoz, Renato P, Hélio A Teive, Salmo Raskin & Lineu C Werneck. 2009. “CTA/CTG Expansions at the SCA 8 Locus in Multiple System Atrophy.” *Clinical Neurology and Neurosurgery* 111(2): 208-10.
- Muppurala, Usha K., Vasant G. Honavar & Drena Dobbs. 2011. “Predicting RNA-Protein Interactions Using Only Sequence Information.” *BMC Bioinformatics* 12: 489-499.
- Mus, E., P. R. Hof & H. Tiedge. 2007. “Dendritic BC200 RNA in Aging and in Alzheimer’s Disease.” *Proceedings of the National Academy of Sciences* 104(25): 10679-10684.
- Nomura, Toshifumi. 2016. “Comprehensive Analysis of Long Non-Coding RNAs in Keratinization.” *Journal of Dermatological Science* 84(1): e138.

- Pancaldi, Vera & Jürg Bähler. 2011. "In Silico Characterization and Prediction of Global Protein-MRNA Interactions in Yeast." *Nucleic Acids Research* 39(14): 5826-5836.
- Panzitt, Katrin, Marisa M.O. Tschernatsch, Christian Guelly, Tarek Moustafa, Martin Stradner, Heimo M. Strohmaier & Charles R. Buck et al. 2007. "Characterization of HULC, a Novel Gene With Striking Up-Regulation in Hepatocellular Carcinoma, as Noncoding RNA." *Gastroenterology* 32(1): 330-342.
- Parenti, Rosalba, Sabrina Paratore, Antonietta Torrisi & Sebastiano Cavallaro. 2007. "A Natural Antisense Transcript against Rad18, Specifically Expressed in Neurons and Upregulated during β -Amyloid-Induced Apoptosis." *European Journal of Neuroscience* 26(9): 2444-2457.
- Parikesit, Arli Aditya, Lydia Steiner, Peter F Stadler & Sonja J Prohaska. 2014. "Pitfalls of Ascertainment Biases in Genome Annotations – Computing Comparable Protein Domain Distributions in Eukarya." *Malaysian Journal of Fundamental and Applied Sciences* 10(2): 65-75.
- Pasmant, E., A. Sabbagh, M. Vidaud & I. Bieche. 2011. "ANRIL, a Long, Noncoding RNA, Is an Unexpected Major Hotspot in GWAS." *The FASEB Journal* 25(2): 444-448.
- Peng, Hsin Yi, Chih Chien Lin, Hsun Yen Wang, Ying Shih & Su Tze Chou. 2014. "The Melanogenesis Alteration Effects of Achillea Millefolium L. Essential Oil and Linalyl Acetate: Involvement of Oxidative Stress and the JNK and ERK Signaling Pathways in Melanoma Cells." *PLoS ONE*. 9(4): e95186.
- Petryszak, Robert, Tony Burdett, Benedetto Fiorelli, Nuno A Fonseca, Mar Gonzalez-Porta, Emma Hastings & Wolfgang Huber et al. 2014. "Expression Atlas Update—a Database of Gene and Transcript Expression from Microarray-and Sequencing-Based Functional Genomics Experiments." *Nucleic Acids Research* 42(Database issue): D926-D932.
- Piipponen, Minna, Liisa Nissinen, Mehdi Farshchian, Pilvi Riihilä, Atte Kivisaari, Markku Kallajoki, Juha Peltonen, Sirkku Peltonen & Veli Matti Kähäri. 2016. "Long Noncoding RNA PICSAR Promotes Growth of Cutaneous Squamous Cell Carcinoma by Regulating ERK1/2 Activity." *Journal of Investigative Dermatology* 136(8): 1701-1710.
- Ploussard, Guillaume, Xavier Durand, Evangelos Xylinas, Stéphane Moutereau, Camélia Radulescu, Aurélien Forgue & Nathalie Nicolaiew et al. 2011. "Prostate Cancer Antigen 3 Score Accurately Predicts Tumour Volume and Might Help in Selecting Prostate Cancer Patients for Active Surveillance." *European Urology* 59(3): 422-429.
- Pollard, Katherine S., Sofie R. Salama, Nelle Lambert, Marie Alexandra Lambot, Sandra Coppens, Jakob S. Pedersen & Sol Katzman et al. 2006. "An RNA Gene Expressed during Cortical Development Evolved Rapidly in Humans." *Nature*. 443(7108): 167-172.
- Qian, Ming, Xinghai Yang, Zhenxi Li, Cong Jiang, Dianwen Song, Wangjun Yan & Tielong Liu, et al. 2016. "P50-Associated COX-2 Extragenic RNA (PACER) Overexpression Promotes Proliferation and Metastasis of Osteosarcoma Cells by Activating COX-2 Gene." *Tumor Biology* 37(3): 3879-3886.
- Qiao, Hui-Ping, Wei-Shi Gao, Jian-Xin Huo & Zhan-Shan Yang. 2013. "Long Non-Coding RNA GAS5 Functions as a Tumor Suppressor in Renal Cell Carcinoma." *Asian Pacific Journal of Cancer Prevention* 14(2): 1077-1082.
- Qiu, Jun-Jun, Ying-Ying Lin, Jing-Xin Ding, Wei-Wei Feng, Hong-Yan Jin & Ke-Qin Hua. 2015. "Long Non-Coding RNA ANRIL Predicts Poor Prognosis and Promotes Invasion/Metastasis in Serous Ovarian Cancer." *International Journal of Oncology* 46(6): 2497-2505.
- Ranganathan, Shoba, Christian Schönbach, Janet Kelso, Burkhard Rost, Sheila Nathan & Tin Wee Tan. 2011. "Towards Big Data Science in the Decade Ahead from Ten Years of InCoB and the 1st ISCB-Asia Joint Conference." In *BMC Bioinformatics* 12 Suppl 1:S1.
- Rapicavoli, Nicole A., Kun Qu, Jiajing Zhang, Megan Mikhail, Remi Martin Laberge & Howard Y. Chang. 2013. "A Mammalian Pseudogene LncRNA at the Interface of Inflammation and Antiinflammatory Therapeutics." *ELife*. 2016: 6205485.
- Renton, Alan E., Elisa Majounie, Adrian Waite, Javier Simón-Sánchez, Sara Rollinson, J. Raphael Gibbs, Jennifer C. & Schymick et al. 2011. "A Hexanucleotide Repeat Expansion in C9ORF72 Is the Cause of Chromosome 9p21-Linked ALS-FTD." *Neuron* 72(2): 257-268.
- Ritter, Oliver, Hannelore Haase, Hagen Dieter Schulte, Peter E. Lange & Ingo Morano. 1999. "Remodeling of the Hypertrophied Human Myocardium by Cardiac BHLH Transcription Factors." *Journal of Cellular Biochemistry* 74(4): 551-61.
- Rivas, E & S R Eddy. 2001. "Noncoding RNA Gene Detection Using Comparative Sequence Analysis." *BMC Bioinformatics* 2: 8-26.
- Rouskin, Silvi, Meghan Zubradt, Stefan Washietl, Manolis Kellis, & Jonathan S. Weissman. 2014. "Genome-Wide Probing of RNA Structure Reveals Active Unfolding of MRNA Structures in Vivo." *Nature* 505(7485): 701-5.
- Sacco, Letizia da, Antonella Baldassarre & Andrea Masotti. 2012. "Bioinformatics Tools and Novel Challenges in Long Non-Coding RNAs (LncRNAs) Functional Analysis." *International Journal of Molecular Sciences*. Molecular Diversity Preservation International. 13(1): 97-114.
- Samani, Nilesh J, Jeanette Erdmann, Alistair S Hall, Christian Hengstenberg, Massimo Mangino, Bjoern Mayer & Richard J Dixon et al. 2007. "Genomewide Association Analysis of Coronary Artery Disease." *The New England Journal of Medicine* 357(5): 443-453.
- Sato, Kengo, Michiaki Hamada, Kiyoshi Asai & Toutai Mituyama. 2009. "CentroidFold: A Web Server for RNA Secondary Structure Prediction." *Nucleic Acids Research*. 37(Web Server issue): 277-280.
- Scheele, Camilla, Natasa Petrovic, Mohammad A. Faghihi, Timo Lassmann, Katarina Fredriksson, Olav Rooyackers, Claes Wahlestedt, Liam Good & James A. Timmons. 2007. "The Human PINK1 Locus Is Regulated in Vivo by a Non-Coding Natural Antisense RNA during Modulation of Mitochondrial Function." *BMC Genomics* 8: 74-86.
- Schonrock, Nicole, Richard P. Harvey & John S. Mattick. 2012. "Long Noncoding RNAs in Cardiac Development and Pathophysiology." *Circulation Research* 111(10): 1349-1362.
- Seemann, Stefan E., Peter Menzel, Rolf Backofen & Jan Gorodkin. 2011. "The PETfold and PETcofold Web Servers for Intra- and Intermolecular Structures of Multiple RNA Sequences." *Nucleic Acids Research*. 39(Web Server issue): 107-111.

- Seetin, Matthew G., Wipapat Kladwang, John P. Bida & Rhiju Das. 2014. "Massively Parallel RNA Chemical Mapping with a Reduced Bias MAP-Seq Protocol." *Methods in Molecular Biology* 1086: 95-117.
- Shakhova, Olga, Phil Cheng, Pravin J Mishra, Daniel Zingg, Simon M Schaefer, Julien Debbache & Jessica Häusel et al. 2015. "Antagonistic Cross-Regulation between Sox9 and Sox10 Controls an Anti-Tumorigenic Program in Melanoma." Edited by Gregory S. Barsh. *PLoS Genetics* 11(1): e1004877.
- Shi, Lihua, Zhe Zhang, Angela M. Yu, Wei Wang, Zhi Wei, Ehtisham Akhter & Kelly Maurer, et al. 2014. "The SLE Transcriptome Exhibits Evidence of Chronic Endotoxin Exposure and Has Widespread Dysregulation of Non-Coding and Coding RNAs." *PLoS ONE*. 9(5): e93846.
- Song, Jinsoo, Dongkyun Kim, Jiyeon Han, Yunha Kim, Myeungso Lee & Eun Jung Jin. 2014. "PBMC and Exosome-Derived Hotaïr Is a Critical Regulator and Potent Marker for Rheumatoid Arthritis." *Clinical and Experimental Medicine* 15(1): 121-126.
- Sonkoly, Eniko, Zsuzsanna Bata-Csorgo, Andor Pivarsci, Hilda Polyanka, Anna Kenderessy-Szabo, Gergely Molnar & Karoly Szentpali et al. 2005. "Identification and Characterization of a Novel, Psoriasis Susceptibility-Related Noncoding RNA Gene, PRINS." *Journal of Biological Chemistry* 280(25): 24159-24167.
- Stacey, Simon N., Patrick Sulem, Gisli Masson, Sigurjon A. Gudjonsson, Gudmar Thorleifsson, Margret Jakobsdottir & Asgeir Sigurdsson et al. 2009. "New Common Variants Affecting Susceptibility to Basal Cell Carcinoma." *Nature Genetics* 41(8): 909-914.
- Sun, Miao, Shrikanth S Gadad, Dae Seok Kim & W Lee Kraus. 2015. "Discovery, Annotation, and Functional Analysis of Long Noncoding RNAs Controlling Cell-Cycle Gene Expression and Proliferation in Breast Cancer Cells." *Molecular Cell* 59(4): 698-711.
- Suresh, V., Liang Liu, Donald Adjeroh & Xiaobo Zhou. 2015. "RPI-Pred: Predicting NcRNA-Protein Interaction Using Sequence and Structural Information." *Nucleic Acids Research* 43(3): 1370-1379.
- Szegedi, Krisztina, Anikó Göblös, Sarolta Bacsá, Mária Antal, István Németh, Zsuzsanna Bata-Csörgő, Lajos Kemény, Attila Dobozy & Márta Széll. 2012. "Expression and Functional Studies on the Noncoding RNA, PRINS." *International Journal of Molecular Sciences* 14(1): 205-25.
- Szegedi, Krisztina, Eniko Sonkoly, Nikolettá Nagy, István Balázs Németh, Zsuzsanna Bata-Csörgő, Lajos Kemény, Attila Dobozy & Márta Széll. 2010. "The Anti-Apoptotic Protein G1P3 Is Overexpressed in Psoriasis and Regulated by the Non-Coding RNA, PRINS." *Experimental Dermatology*. 19(3): 269-278.
- Szmyrka-Kaczmarek, Magdalena, Agata Kosmaczewska, Lidia Ciszak, Aleksandra Sztéblích & Piotr Wiland. 2014. "Peripheral Blood Th17/Treg Imbalance in Patients with Low-Active Systemic Lupus Erythematosus." *Postępy Higieny i Medycyny Doswiadczalnej (Online)* 68: 893-98.
- Tabei, Yasuo, Hisanori Kiryu, Taishin Kin & Kiyoshi Asai. 2008. "A Fast Structural Multiple Alignment Method for Long RNA Sequences." *BMC Bioinformatics* 9: 33-49.
- Talkish, Jason, Gemma May, Yizhu Lin, John L. Woolford & C. Joel McManus. 2014. "Mod-Seq: High-Throughput Sequencing for Chemical Probing of RNA Structure." *RNA*. 20(5): 713-720.
- Thrash-Bingham, Catherine A. & Kenneth D. Tartof. 1999. "AHIF: A Natural Antisense Transcript Overexpressed in Human Renal Cancer and during Hypoxia." *Journal of the National Cancer Institute* 91(2): 143-151.
- Uhlén, Mathias, Linn Fagerberg, Björn M Hallström, Cecilia Lindskog, Per Oksvold, Adil Mardinoglu & Åsa Sivertsson et al. 2015. "Proteomics. Tissue-Based Map of the Human Proteome." *Science (New York, N.Y.)*. 347(6220): 1260419.
- Underwood, Jason G., Andrew V. Uzilov, Sol Katzman, Courtney S. Onodera, Jacob E. Mainzer, David H. Mathews, Todd M. Lowe, Sofie R. Salama & David Haussler. 2010. "FragSeq: Transcriptome-Wide RNA Structure Probing Using High-Throughput Sequencing." *Nature Methods*. 7(12): 995-1001.
- Vausort, Mélanie, Daniel R. Wagner & Yvan Devaux. 2014. "Long Noncoding RNAs in Patients with Acute Myocardial Infarction." *Circulation Research* 115(7): 668-77.
- Vučičević, Dubravka, Heinrich Schrewe & Ulf A Orom. 2014. "Molecular Mechanisms of Long NcRNAs in Neurological Disorders." *Frontiers in Genetics* 5: 48.
- Wan, Peixing, Wenru Su & Yehong Zhuo. 2017. "The Role of Long Noncoding RNAs in Neurodegenerative Diseases." *Molecular Neurobiology* 54(3): 2012-2021.
- Wan, Y, K Qu, Q C Zhang, R A Flynn, O Manor, Z Ouyang & J Zhang et al. 2014. "Landscape and Variation of RNA Secondary Structure across the Human Transcriptome." *Nature* 505: 706-709.
- Wang, Liguó, Hyun Jung Park, Surendra Dasari, Shengqin Wang, Jean Pierre Kocher & Wei Li. 2013. "CPAT: Coding-Potential Assessment Tool Using an Alignment-Free Logistic Regression Model." *Nucleic Acids Research* 41(6): e74.
- Wang, Yanying, Lei He, Ying Du, Pingping Zhu, Guanling Huang, Jianjun Luo & Xinlong Yan et al. 2015. "The Long Noncoding RNA LncTCF7 Promotes Self-Renewal of Human Liver Cancer Stem Cells through Activation of Wnt Signaling." *Cell Stem Cell* 16(4): 413-25.
- Washietl, Stefan, Sven Findeiß, Stephan A. Müller, Stefan Kalkhof, Martin Von Bergen, Ivo L. Hofacker, Peter F. Stadler & Nick Goldman. 2011. "RNACode: Robust Discrimination of Coding and Noncoding Regions in Comparative Sequence Data." *RNA*. 17(4): 578-94.
- Wilkinson, Brent & Daniel B. Campbell. 2013. "Contribution of Long Noncoding RNAs to Autism Spectrum Disorder Risk." *International Review of Neurobiology* 113: 35-59.
- Will, Sebastian, Tejal Joshi, Ivo L. Hofacker, Peter F. Stadler & Rolf Backofen. 2012. "LocARNA-P: Accurate Boundary Prediction and Improved Detection of Structural RNAs." *RNA*. 18(5): 900-914.
- Wright, P. R., A. S. Richter, K. Papenfort, M. Mann, J. Vogel, W. R. Hess, R. Backofen & J. Georg. 2013. "Comparative Genomics Boosts Target Prediction for Bacterial Small RNAs." *Proceedings of the National Academy of Sciences*. 110(37): 3487-3496.
- Wu, Guo-Cui, Hai-Feng Pan, Rui-Xue Leng, De-Guang Wang, Xiang-Pei Li, Xiao-Mei Li & Dong-Qing Ye. 2015. "Emerging Role of Long Noncoding RNAs in Autoimmune Diseases." *Autoimmunity Reviews* 14(9): 798-805.
- Yan, Biao, Jin Yao, Jing Yu Liu, Xiu Miao Li, Xiao Qun Wang, Yu Jie Li, Zhi Fu Tao, Yu Chen Song, Qi Chen & Qin

- Jiang. 2015. "LncRNA-MIAT Regulates Microvascular Dysfunction by Functioning as a Competing Endogenous RNA." *Circulation Research* 116(7): 1143-1156.
- Yang, Kai-Chien, Kathryn A Yamada, Akshar Y Patel, Veli K Topkara, Isaac George, Faisal H Cheema, Gregory A Ewald, Douglas L Mann & Jeanne M Nerbonne. 2014. "Deep RNA Sequencing Reveals Dynamic Regulation of Myocardial Noncoding RNAs in Failing Human Heart and Remodeling with Mechanical Circulatory Support." *Circulation* 129(9): 1009-1021.
- Zeng, Qinghai, Qi Wang, Xiang Chen, Kun Xia, Jintian Tang, Xiao Zhou & Yan Cheng et al. 2016. "Analysis of LncRNAs Expression in UVB-Induced Stress Responses of Melanocytes." *Journal of Dermatological Science* 81(1): 53-60.
- Zgheib, Carlos, Maggie M. Hodges, Junyi Hu, Kenneth W. Liechty & Junwang Xu. 2017. "Long Non-Coding RNA Lethe Regulates Hyperglycemia-Induced Reactive Oxygen Species Production in Macrophages." *PLoS ONE*. 12(5): e0177453.
- Zhang, Rui, Li Qiong Xia, Wen Wen Lu, Jing Zhang & Jin Shui Zhu. 2016. "LncRNAs and Cancer." *Oncology Letters*. 8(66): 110685-110692.
- Zhang, Yuan & Xuetao Cao. 2016. "Long Noncoding RNAs in Innate Immunity." *Cellular & Molecular Immunology* 13(2): 138-147.
- Zhao, Jing, Toshiro K. Ohsumi, Johnny T. Kung, Yuya Ogawa, Daniel J. Grau, Kavitha Sarma, Ji Joon Song, Robert E. Kingston, Mark Borowsky & Jeannie T. Lee. 2010. "Genome-Wide Identification of Polycomb-Associated RNAs by RIP-Seq." *Molecular Cell* 40(6): 939-953.
- Zhao, Wei, Joseph Mazar, Bongyong Lee, Junko Sawada, Jian Liang Li, John Shelley & Subramaniam Govindarajan, et al. 2016. "The Long Noncoding RNA SPRIGHTLY Regulates Cell Proliferation in Primary Human Melanocytes." *Journal of Investigative Dermatology* 136(4): 819-828.
- Zhu, Hongxue, Xuechao Li, Yarong Song, Peng Zhang, Yajun Xiao & Yifei Xing. 2015. "Long Non-Coding RNA ANRIL Is up-Regulated in Bladder Cancer and Regulates Bladder Cancer Cell Proliferation and Apoptosis through the Intrinsic Pathway." *Biochemical and Biophysical Research Communications* 467(2): 223-228.
- Zhu, Jin Gai, Ya Hui Shen, Hai Lang Liu, Ming Liu, Ya Qing Shen, Xiang Qing Kong, Gui Xian Song & Ling Mei Qian. 2014. "Long Noncoding RNAs Expression Profile of the Developing Mouse Heart." *Journal of Cellular Biochemistry* 115: 910-918.
- Zlatanou, A., S. Sabbioneda, E. S. Miller, A. Greenwalt, A. Aggathangelou, M. M. Maurice & A. R. Lehmann et al. 2016. "USP7 Is Essential for Maintaining Rad18 Stability and DNA Damage Tolerance." *Oncogene* 35(8): 965-976.
- Zu, T., Y. Liu, M. Banez-Coronel, T. Reid, O. Pletnikova, J. Lewis & T. M. Miller et al. 2013. "RAN Proteins and RNA Foci from Antisense Transcripts in C9ORF72 ALS and Frontotemporal Dementia." *Proceedings of the National Academy of Sciences* 110(51): 4968-4977.
- Zuker, Michael. 2003. "Mfold Web Server for Nucleic Acid Folding and Hybridization Prediction." *Nucleic Acids Research* 31(13): 3406-3415.

Dito Anurogo
Faculty of Medicine
University of Muhammadiyah Makassar
Jl. Sultan Alauddin No. 259, Makassar
90221, Indonesia

Arli Aditya Parikesit
Department of Bioinformatics
School of Life Sciences,
Indonesia International Institute for Life Sciences
Jl. Pulomas Barat Kav 88. Jakarta Timur
13210, Indonesia

Taruna Ikrar
International School of Biomedical Sciences
Pacific Health Sciences University
107 Bakerfield, California 93309
USA

Cellcure Center
The Indonesia Army and Presidential Central Hospital
(RSPAD Gatot Subroto), Jln. Abdul Rahman Saleh
No. 24, Jakarta
10410, Indonesia

Corresponding author: Taruna Ikrar
E-mail: taruna.ikrar@pacifichealthu.org

Tel: +62-21-3441008, +62-21-3840702 Ext 5005
Fax: +62-21-350619

Received: February 2017
Accepted for publication: February 2019